

Supporting Information for “2D Metal-Organic Frameworks Based Optoelectronic Neuromorphic Transistors for Human Emotion-Simulation and Neuromorphic Computing”

Dapeng Liu¹, Qianqian Shi¹, Junyao Zhang¹, Li Tian¹, Lize Xiong¹, Shilei Dai¹, and Jia Huang¹

¹Affiliation not available

June 9, 2022

Abstract

Abstract content goes here

* Corresponding author. E-mail: J.H.: huangjia@tongji.edu.cn; S.D.: 1610419@tongji.edu.cn

Supplementary Materials include:

Fig. S1. The XPS characterization of MOFs.

Fig. S2. The XRD spectrum of MOFs.

Fig. S3. The characterizations of the 2D Zn₂(ZnTCPP) MOFs-PMMA/Pentacene structure.

Fig. S4. The Ar-ion etching XPS characterization of MOFs.

Fig. S5. The AFM characterizations.

Fig. S6. The optical properties of the MOFs.

Fig. S7. The device performance.

Fig. S8. The KPFM characterization.




Figure 1: **Figure S1.** (a) The schematic synthesis procedure and (b-d) XPS spectrums of the 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs.




Figure 2: **Figure S2.** The XRD spectrum of $\text{Zn}_2(\text{ZnTCPP})$ MOFs.




Figure 3: **Figure S3.** The characterizations of the 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs-PMMA/Pentacene structure. (a) The TEM image of the 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs. (b) The cross-section SEM image of the device (inset, the AFM image of the 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs).




Figure 4: **Figure S4.** The Ar-ion etching XPS characterization of the 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs-PMMA dielectric layer.




Figure 5: **Figure S5.** (a) The AFM image of the 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs-PMMA dielectric layer. (b) The thickness measurement of 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs-PMMA film using AFM. (c) The AFM image of the pentacene film deposited on the 2D $\text{Zn}_2(\text{ZnTCPP})$ MOFs-PMMA dielectric layer.




Figure 6: **Figure S6.** (a) The UV-Vis spectrum of the 2D $Zn_2(ZnTCPP)$ MOFs-PMMA and pentacene film. (b) PL spectra of the 2D $Zn_2(ZnTCPP)$ MOFs-PMMA and pentacene/2D $Zn_2(ZnTCPP)$ MOFs-PMMA film ($\lambda_{ex} = 405$ nm). (c) The transient PL spectra of the 2D $Zn_2(ZnTCPP)$ MOFs-PMMA and pentacene/2D $Zn_2(ZnTCPP)$ MOFs-PMMA film.




Figure 7: **Figure S7.** The transfer curves of our device.




Figure 8: **Figure S8.** (a) The schematic KPFM measurement. (b) The KPFM potential image before and after the light spike. (c) The potential curves before and after the light spike.