

Table 1. Primers used for PCR amplification in the present study.

Primer name	Primer sequence (5' -3')	Size (bp)
PCL-3754F	TAGGGATTTCCGCTTGGATCAAGTACT TATTACCTTTAGCGGAATCAAAATCGGA	1370
PCL-1182R	C	
PCL-963F	ATGCCTGGCACCTTAGACCCCTTTA	916
PCL-1879R	AATGAACTGACCACTCATGAA	
PCL-1833F	GTTAACCGCAATTGAATTTTGA	1179
PCL-3012R	TGGCAGGCGTATGGCCAGGTGATCT	
PCL-2830F	GTACGATGAGGATCAAACATTAA	1160
PCL-46R	CGCACTCTTTGCATTTTGATTAATGAATT	
PCL-D-F (3331)	TTAACACGGCGAGTATATCTACCAGA TGTCTCAGGACTTCGATGTATTCGACCC	548
PCL-D-R (3879)	TT	

Table 2 Detection of enteroviruses infection in pigs in Guangdong, China.

	Farm A(Jun-2020)	Farm B (Sep-2020)
PEDV	-	-
PDCoV	-	-
TGEV	-	-
RV	-	-
SADS-CoV	-	-
PTV	-	-
PKV	-	-
PBV	-	-
PBoV	+	-
SaV	-	-
PSV	-	-
NoV	-	-
PCL virus	+	+
PCV4	-	-