

		Exhaustion				Inter-group	
		Single Surgical Mask	Double Surgical Mask	N95 Mask	SM+N95Mask [†]	Variance p	value
Baseline	Mean±SD [§]	0.79 ± 0.86	0.85 ± 0.80	0.91 ± 0.98	0.91 ± 1.10	0.823	‡
	Median	1.00	1.00	1.00	1.00		
30.Minute	Mean±SD [§]	0.91 ± 0.91 ²³⁴	1.21 ± 0.99	1.24 ± 1.03	1.42 ± 1.23	0.032	‡,*
	Median	1.00	1.00	1.00	1.00		
60.Minute	Mean±SD [§]	1.12 ± 1.13 ³⁴	1.36 ± 1.11 ³⁴	1.61 ± 1.41	2.06 ± 1.41	0.006	‡,*
	Median	1.00	1.00	1.00	2.00		
90.Minute	Mean±SD [§]	1.09 ± 1.15 ²³⁴	1.76 ± 1.36 ³⁴	1.94 ± 1.27	2.27 ± 1.28	0.000	‡,*
	Median	1.00	1.00	2.00	2.00		
120.Minute	Mean±SD [§]	1.36 ± 1.31 ²³⁴	1.91 ± 1.40	2.21 ± 1.41	2.30 ± 1.40	0.000	‡,*
	Median	1.00	2.00	2.00	2.00		
In-group Variance p value		0.000 ‡,*	0.000 ‡,*	0.000 ‡,*	0.000 ‡,*		

[†]: Single Surgical Mask and N95 / [‡]: Friedman test (Wilcoxon test)/ [§]: Mean ± Standart Deviation / ²:Difference with Double Surgical Mask p < 0.05/ ³: Difference with N95 Mask p < 0.05 / ⁴:Difference with Single Surgical Mask and N95 p < 0.05 / *: p<0.05