

Your Abstract Submission Has Been Received

Click [here](#) to print this page now.

You have submitted the following abstract to AGU Fall Meeting 2021. Receipt of this notice does not guarantee that your submission was free of errors.

Integrating Oyster Castles into Living Shorelines to promote coastal bays resilience to Sea Level Rise

William Nardin, University of Maryland Center for Environmental Science Horn Point Laboratory, Cambridge, MD, United States, Jonathan Leathers, University of Maryland College Park, College Park, United States and Iacopo Vona, University of Maryland Center for Environmental Science, Horn Point Laboratory, Cambridge, MD, United States

Abstract Text:

Living shorelines are native marsh plantings that control coastal erosion and provide coastal resilience to sea level rise (SLR) by migrating upland during SLR. Living shorelines require riprap to dissipate wave energy which prevent marsh boundary erosion and facilitate sedimentation. Currently, riprap are built with rocks which cannot adapt to SLR to continue attenuating wave energy. Alternatively, oyster castles are modular cinder blocks for building breakwaters and coastal structures that initiate the development of oyster reefs which can grow equivalently with SLR. Thus, oyster castle breakwaters can adapt to SLR while retaining their breakwater function. This research used Delft3D and SWAN to model the effects of climate changes, especially SLR, on coastal morphology with 3 domain configurations: 1) only marsh, 2) traditional living shoreline with riprap and 3) living shoreline with oyster castle. We built a model comparing marsh deposition between these coastal structures over time, and determined the most important parameters affecting living shoreline evolution. All domains were 2 km wide by 1 km in length to mimic coastal bay conditions. Model runs were set up for a temporal scale of 150 days. This duration was increased by a morphological factor of 150 to project our results to 30 and 60 years. The parameters tested included vegetation density, nearshore slope, SLR, and suspended sediment concentration (SSC). Oyster castles facilitated greater marsh deposition than riprap at +8.9 mm under current sea level, +3.5 mm with SLR of 0.4 m, and +3.3 mm with SLR of 0.8 m. Increased nearshore slope and higher SSC both increased sediment deposition in the marsh. Increased sea level and higher marsh density decreased maximum bed shear stress. Therefore, coastal restoration efforts should strive to integrate oyster castle into living shorelines, and increase marsh density to enhance sediment deposition and coastal resilience. Our modelling efforts focus on quantifying the impacts of coastal processes on created marsh dynamics.

Plain-Language Summary:

This research used Delft3D and SWAN to model the effects of climate changes, especially SLR, on coastal morphology with 3 domain configurations: 1) only marsh, 2) traditional living shoreline with riprap and 3) living shoreline with oyster castle. We built a model comparing marsh deposition between these coastal structures over time, and determined the most important parameters affecting living shoreline evolution. Model runs were set up for a temporal scale of 150 days. This duration was increased by a morphological factor of 150 to project our results to 30 and 60 years. The parameters tested included vegetation density, nearshore slope, SLR, and suspended sediment concentration (SSC). Oyster castles facilitated greater marsh deposition

than riprap at +8.9 mm under current sea level, +3.5 mm with SLR of 0.4 m, and +3.3 mm with SLR of 0.8 m. Increased nearshore slope and higher SSC both increased sediment deposition in the marsh.

Session Selection:

EP010. Ecohydraulics and Ecomorphodynamics: Biophysical Interactions Across Scales in Natural and Engineered Aquatic Systems.

Submitter's E-mail Address:

wnardin@umces.edu

Abstract Title:

Integrating Oyster Castles into Living Shorelines to promote coastal bays resilience to Sea Level Rise

Requested Presentation Type:

Assigned by Program Committee (oral, eLightning or poster discussion session)

Previously Published?:

No

Abstract Payment:

Paid (agu-fm21-891778-3288-9196-8729-3609)

For non-students only: I would like to volunteer as an OSPA judge.

First Presenting Author

Presenting Author

William Nardin

Primary Email: wnardin@umces.edu

Affiliation(s):

University of Maryland Center for Environmental Science Horn Point Laboratory
Cambridge MD 02215 (United States)

Second Author

Jonathan Leathers

Primary Email: jonleathers1997@gmail.com

Affiliation(s):

University of Maryland College Park
College Park (United States)

Third Author

Iacopo Vona
Primary Email: ivona@umces.edu

Affiliation(s):

University of Maryland Center for Environmental Science, Horn Point Laboratory
Cambridge MD 21613-3368 (United States)

If necessary, you can make changes to your abstract submission

To access your submission in the future, point your browser to: [User Portal](#)

Your Abstract ID# is: 891778.

Any changes that you make will be reflected instantly in what is seen by the reviewers.

After the abstract proposal is submitted, you are not required to go through all submission steps to make edits. For example, click the "Authors" step in the Abstract Submission Control Panel to edit the Authors and then click save or submit.

When you have completed your submission, you may close this browser window or submit another abstract proposal: [Call for Abstracts](#).

[Tell us what you think of the abstract submission process](#)