

CH₄-emission estimation from different sources using the present GOSAT and the next-generation imaging-spectrometer suites


Akihiko KUZE, Hiroshi Suto, Nobuhiro Kikuchi, Kei Shiomi, Fumie Kataoka, Yutaka Kondo, Takahiro Kawashima, Shigetaka Mori




The Thermal And Near infrared Sensor for carbon Observation Fourier-Transform Spectrometer (TANSO-FTS) onboard the Greenhouse gases Observing SATellite (GOSAT) was launched in January 2009 to monitor global CO₂ and CH₄ distribution from space. The wide-spectral-range data of FTS can measure the partial-column density of the lower troposphere by simultaneously using sun light reflected from the Earth's surface and thermal emission from the Earth's atmosphere. In addition to nominal global grid-observation, TANSO-FTS has an agile pointing system to target various CH₄ point-sources as well as reference points every three days, and can capture the entire flux emitted vertically and horizontally from the source. We demonstrated the monitoring capability by using the natural gas blowout data in 2015 at Aliso Canyon, CA and tried to estimate the CH₄ flux from the point source using the dairy-farm-area dataset in Chino, CA with the Weather Research and Forecasting (WRF) model. Large footprint and sparse sampling result in large flux estimation error. Our goal is to identify the emission source and individually estimate CH₄ flux from different source sectors by imaging spectrometer suites with higher spatial resolution. In February 2018, we flew the airborne instruments over the third largest city Nagoya, Japan.

Using the present GOSAT


- (1) Remote sensing from platforms above the atmospheric boundary layer can capture total emissions using the solar reflected light passing from the top of the atmosphere to the Earth's surface.
- (2) Anthropogenic emission area of CH₄ is generally smaller than CO₂ and type of source can be categorized but emission amount has large uncertainty.



The next-generation imaging-spectrometer suites



1. Higher spatial resolution data enhance the column density.
2. Closer upwind reference can remove background and inflow.
3. Short lived tracer such as NO₂ proved related information on wind direction and speed.
4. Imaging capability can detect an emission from different source sector



Littrow Configuration: limiting spectral coverage
Compact: collimating and correcting
High efficiency=very low polarization sensitivity
against highly polarized input scattered light by the earth's atmosphere
Common design for both V, NIR, and SWIR

Item	O ₂ A and SIF	CO ₂ and CH ₄
Spectral coverage	747–783 nm	1.56–1.67 μm
Spectral resolution	0.9 Å	2 Å
Detector	Si	InGaAs cooled at +10°C by thermoelectric cooler
Pixel number and size	2048 by 2048 pixels, 6.5 μm by 6.5 μm	640 (spectra) by 512 pixels (cross track) 20 μm by 20 μm
Integration time	0.5 sec (typical)	0.5 sec (typical)
Spectral Binning	6 pixels	2 pixels



Uncertainty of wind speed and direction and lack of proper reference cause errors in flux estimation. Imaging capability with higher spatial resolution are needed.

$$F_{CH_4} = a_p \frac{\Delta XCH_4(LT) \times V_s}{L_s}$$



$$\Delta XCH_4(LT) = XCH_4(LT_s) - XCH_4(LT_r)$$

We propose an imaging spectrometer suite to measure CO₂, CH₄, and NO₂ with a Å spectral resolution to estimate flux from different source sectors.


Feb. 2018 Configuration




Measured absorption spectra of O₂, (upper) CH₄, CO₂, (lower) by airborne observation on Feb. 16, 2018



2-axis pointing system for the staring mode the side view for the survey mode



solar-induced chlorophyll fluorescence (SIF)



Imaging Spectrometer Suites


Survey entire earth's surface
Selecting Proper reference

Staring


- 1 km resolution will enhance dCH₄
- Image can detect plume and has closer reference



GOSAT Aircraft Campaign



Different GHG source sector location of greater Nagoya
CO₂: Power plant, traffic, industry
CH₄: Waste water, liver stock, Gas production



3 spectrometers and pointing mechanism

Courtesy of Kurose