

Your Abstract Submission Has Been Received

Click [here](#) to print this page now.

You have submitted the following abstract to AGU Fall Meeting 2021. Receipt of this notice does not guarantee that your submission was free of errors.

3D topography of mantle transition zone beneath Northeast China : constraints from receiver function with Ps scattering kernel

Fan Yang^{1,2}, Han Zhang³, Juan Li^{4,5}, Xin WANG⁶ and Qifu Chen⁵, (1)UCAS University of Chinese Academy of Sciences, College of Earth and Planetary Sciences, Beijing, China, (2)IGG Institute of Geology and Geophysics, Chinese Academy of Sciences, Key Laboratory of Earth and Planetary Physics, Beijing, China, (3)University of New Mexico, Department of Earth & Planetary Sciences, Albuquerque, United States, (4)University of Chinese Academy of Sciences, Beijing, China, (5)Key Laboratory of Earth and Planetary Physics, Institute of Geology and Geophysics, Chinese Academy of Sciences, Beijing, China, (6)Institute of Geology and Geophysics, Chinese Academy of Sciences, Beijing, China

Abstract Text:

Mantle transition zone (MTZ) is the layer between two seismic upper mantle discontinuities, which are generally believed to be caused by the transformation of high-pressure polymorphs of olivine occurred around depth of 410 km (d410) and 660 km (d660). The fine structure around the discontinuities, especially the undulation of them can be used to infer the variation of temperature and/or composition in the deep mantle. Seismic images have revealed a subhorizontally deflected slab beneath Northeast China, and thus the seismic mapping of the interaction between the slab and the deep mantle is important in understanding the mantle circulation as well as the upper mantle composition. Recently, a temporary NECSA Array has been installed, and it consists mainly of two nearly orthogonal dense profiles with station spacing of 15–20 km, which provides us an unprecedented opportunity to obtain a high-resolution 3D topography of the MTZ. Considering the dipping and stagnant structure of the slab, we used a novel Ps scatter kernel migration technique to obtain the detailed image of the d410 and d660, which has been proved to be efficient and better for more complex structures. Our results show that the boundaries of the subducting Northwest Pacific slab can be clearly identified in the image, with a dip angle of about 30° in the MTZ. The depth of the d660 depressed 20 - 40 km around the stagnant part of the subducting slab, which could be explained with the lower temperature caused by the cold Pacific slab. Moreover, the d660 is uplifted about 5 - 15 km beneath northwest of Changbaishan and Longgang Volcano, suggesting that the upwelling feeding the volcanoes might originate from the MTZ. Apart from the prominent depression of the d410 observed in the volcanic area, we also observed a wide-distributed depression of the d410 with value ~10 km over most studied areas, seeming inconsistent with the thermal anomaly associated with the subduction environment. We argue that subtle variations of water and/or chemical composition contribute to the observed depth variation of the d410, and the apparent depressed “410” can be related to the wet/dry wadsleyite boundary, which might be caused by the high water content at the top of the MTZ.

Session Selection:

S022. Seismology Contributions: Structural Seismology

Submitter's E-mail Address:

fanyang@mail.iggcas.ac.cn

Abstract Title:

3D topography of mantle transition zone beneath Northeast China : constraints from receiver function with Ps scattering kernel

Requested Presentation Type:

Assigned by Program Committee (oral, eLightning or poster discussion session)

Previously Published?:

Yes

Previously Published Material:

Yang Fan, Zhang Han, Li Juan et.al, 2021. Topography of mantle transition zone discontinuities beneath Northeast China imaged by receiver function with Ps scattering kernel. Chinese Journal of Geophysics, (in Chinese) (Received)

Abstract Payment:

Paid (agu-fm21-879384-6422-9487-5439-3800)

I do not want to be involved in the OSPA program as a judge (students will be able to opt-into the OSPA program in October).

First Presenting Author***Presenting Author***

Fan Yang

Primary Email: fanyang@mail.iggcas.ac.cn

Affiliation(s):

IGG Institute of Geology and Geophysics, Chinese Academy of Sciences
Key Laboratory of Earth and Planetary Physics
Beijing (China)

UCAS University of Chinese Academy of Sciences
College of Earth and Planetary Sciences
Beijing (China)

Second Author

Han Zhang

Primary Email: hanzhang@unm.edu

Affiliation(s):

University of New Mexico

Third Author

Juan Li

Primary Email: juanli@mail.iggcas.ac.cn

Affiliation(s):

Key Laboratory of Earth and Planetary Physics, Institute of Geology and
Geophysics, Chinese Academy of Sciences
Beijing (China)

University of Chinese Adacemy of Sciences
Beijing (China)

Fourth Author

Xin WANG

Primary Email: wangxin@mail.iggcas.ac.cn

Affiliation(s):

Institute of Geology and Geophysics, Chinese Academy of Sciences
Beijing (China)

Fifth Author

Qifu Chen

Primary Email: chenqf@mail.iggcas.ac.cn

Affiliation(s):

Key Laboratory of Earth and Planetary Physics, Institute of Geology and
Geophysics, Chinese Academy of Sciences
Beijing (China)

If necessary, you can make changes to your abstract submission

To access your submission in the future, point your browser to: [User Portal](#)

Your Abstract ID# is: 879384.

Any changes that you make will be reflected instantly in what is seen by the reviewers.

After the abstract proposal is submitted, you are not required to go through all submission steps to make edits. For example, click the "Authors" step in the Abstract Submission Control Panel to edit the Authors and then click save or submit.

When you have completed your submission, you may close this browser window or submit another abstract proposal: [Call for Abstracts](#).

Tell us what you think of the abstract submission process