

Your Abstract Submission Has Been Received

Click [here](#) to print this page now.

You have submitted the following abstract to AGU Fall Meeting 2021. Receipt of this notice does not guarantee that your submission was free of errors.

An Electron Backscatter Diffraction and Cathode-Luminescence Study of Microstructures in the Damage Zone and the Actively Creeping Core of the San Andreas Fault Zone

Alan Peter Boyle, University of Liverpool, Liverpool, United Kingdom and **Jafar Hadizadeh**, University of Louisville, Louisville, KY, United States

Abstract Text:

Using Electron Backscattered Diffraction (EBSD), we conducted a preliminary study on 6 core samples from the San Andreas Fault Observatory at Depth (SAFOD) between 3193-3311m Measured Depth. The selected samples represent areas of the fault zone in contact with the actively creeping Central Deforming Zone (CDZ) and Southwestern Deforming zone (SDZ), with one sample from within the CDZ. The samples were selected on the basis of containing significant pyrite, and evidence of multiphase calcite-vein-formation from cathodoluminescence (CL) imaging. EBSD results identify primary pyrite in the form of framboids, pyrite-cemented framboid aggregates and spherulitic pyrite overgrowths. Secondary (hydrothermal) pyrite forms a 15x7mm lenticular mass in one sample and records abundant evidence of core-and-mantle subgrain-rotation (SGR) deformation mechanisms in pyrite (Fig. 1), indicating elevated temperatures $>400^{\circ}\text{C}$. We find a second generation of both plastically deformed and undeformed secondary pyrite that overgrows calcite-filled fractures in boudinaged Dauphiné-twinned-quartz clasts. Undeformed second-phase pyrite is also associated in the main secondary pyrite mass with calcite filled extension-fractures kinematically compatible with extension fractures in boudinaged quartz. Low-T pyrite cataclasis is also evident. Multiple generations of e-twinned calcite veins are revealed by CL (Fig. 1). The twin-density paleo-piezometry suggests differential stresses of 25-233 MPa, consistent with previous estimates and with the present-day temperature at the SAFOD. However, EBSD also reveals abundant evidence for dislocation-creep in calcite, commonly including the youngest veins in the samples. While dislocation creep deformation is possible in calcite at SAFOD depth, it would involve very high CRSS. Pyrite clearly records multiple episodes of formation and deformation during decreasing T from $>400^{\circ}\text{C}$ to present SAFOD conditions. Analysis of the deformation microstructures in this study also suggests a similar P-T history for calcite and quartz. Preliminary interpretation of the results in this study are: 1. SAFOD damage zone rocks close to SDZ and CDZ deformed, at least episodically, while being exhumed and 2: The deformation involved neo-mineralization and fluid overpressure events.




Figure 1. CL and EBSD data for multiphase calcite veins in sample G52-XZ (A-E) and SGR deformation of pyrite in sample G24XY (F-I). A - CL image with 6 vein generations, which from cross-cutting relationships are 1 oldest to 6 youngest. B - Grain size map with scale from 0-950 μm ; grains labelled i and ii straddle the CL boundary between veins 3 and 6 indicating topotactic growth in vein 6. C - Table summarising calcite grain size and twinning for the 6 vein types - note general trend of increasing grain size and twinning %. D - Grain size map with scale from 0-950 μm ; grains labelled i and ii straddle the CL boundary between veins 3 and 6 indicating topotactic growth in vein 6. E - Three pole figures for calcite grains showing crystallographic orientation. F - CL image of pyrite grains with a scale bar of 0.2 mm. G - EBSD map of pyrite grains with a color scale for disorientation. H - Line measurement graph showing disorientation (cumulative) vs distance (μm) for pyrite grains. The graph is divided into mantle, core, and mantle regions. I - Three pole figures for pyrite grains showing crystallographic orientation.

Plain-Language Summary:

This presentation reports a study of the microstructures of three minerals (pyrite, calcite and quartz) in samples from the San Andreas Observatory at Depth (SAFOD) using advanced optical and scanning-electron microscope methods. Results reveal a complex episodic history of mineral formation and deformation involving decreasing temperature conditions during exhumation to the current depth (~3km) in the SAFOD. Each event involved fluid-overpressuring.

Session Selection:

T018. Initiation, Evolution, Structure, and Dynamics of Transform Fault Zones and their Complex Tectonics

Submitter's E-mail Address:

apboyle@liverpool.ac.uk

Abstract Title:

An Electron Backscatter Diffraction and Cathode-Luminescence Study of Microstructures in the Damage Zone and the Actively Creeping Core of the San Andreas Fault Zone

Requested Presentation Type:

Poster Only

Previously Published?:

No

Abstract Payment:

Paid (agu-fm21-855423-5974-5848-8007-8507)

I do not want to be involved in the OSPA program as a judge (students will be able to opt-into the OSPA program in October).

First Presenting Author

Presenting Author

Alan Peter Boyle

Primary Email: apboyle@liverpool.ac.uk

Affiliation(s):

University of Liverpool
Liverpool (United Kingdom)

Second Author

Jafar Hadizadeh

Primary Email: hadizadeh@louisville.edu

Affiliation(s):

University of Louisville
Louisville KY (United States)

If necessary, you can make changes to your abstract submission

To access your submission in the future, point your browser to: [User Portal](#)

Your Abstract ID# is: 855423.

Any changes that you make will be reflected instantly in what is seen by the reviewers.

After the abstract proposal is submitted, you are not required to go through all submission steps to make edits. For example, click the "Authors" step in the Abstract Submission Control Panel to edit the Authors and then click save or submit.

When you have completed your submission, you may close this browser window or submit another abstract proposal: [Call for Abstracts](#).

[Tell us what you think of the abstract submission process](#)